


Owner's Manual & Assembly Instructions

Item: SG6x6H



BUILDING DIMENSIONS

ITEM: SG6X6H

Dimensions: W6.0x D6.05x H3.9 m

Storage Area: 36.3m² · 124.2m³

Overall size: W6.06 x D 6.25 m

Recommended Floor: W6.56 x D6.15m

CAUTION: SOME PARTS HAVE SHARP EDGES. CARE MUST BE TAKEN WHEN HANDLING THE VARIOUS PIECES TO AVOID A MISHAP. FOR SAFETY SAKE, PLEASE READ SAFETY INFORMATION PROVIDED IN THIS MANUAL BEFORE BEGINNING CONSTRUCTION. WEAR GLOVES WHEN HANDLING METAL PARTS.

IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY

1/9

BEFORE YOU BEGIN

Owner's Manual:

Before beginning construction, check local building codes regarding footings, location and other requirements. Study and understand this owner's manual. Important information and helpful tips will make your construction easier and more enjoyable.

Assembly Instructions:

Instructions are supplied in this manual and contain all appropriate information for your building model. Review all instructions before you begin, and during assembly, follow the step sequence carefully for correct results.

Parts and Parts List:

Check to be sure that you have all the necessary parts, you've your building.

- The first few steps show how to join related parts to make larger sub assemblies which will be used later.
- Familiarize yourself with the hardware and fasteners for easier use during construction. These are packaged within the carton. Note that extra fasteners have been supplied for your convenience.

Watch the Weather:


Be sure the day you select to install your building is dry and calm. Do not attempt to assemble your building on a windy day. Be careful on wet or muddy ground.

Teamwork:

Whenever possible, two or more people should work together to assemble your building. One person can position parts or panels while the other is able to handle the fasteners and the tools.

Tools and Materials:

These are some basic tools and materials you will need for the construction of your building. Decide which method of anchoring and the type of foundation you wish to use in order to form a complete list of the materials you will need.



IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY

2/9

CARE & MAINTENANCE

Finish:For long lasting finish,periodically clean and wax the exterior surface.Touch-up scratches as soon as you notice them on your unit.Immediately clean the area with a wire brush,wash it and apply touch-up paint per manufacturer's recommendation.

Roof:Keep roof clear of leaves and snow with long handled,soft-bristled broom.Heavy amounts of snow on roof can damage building making it unsafe to enter.In snow country,Roof Strengthening Kits are available for most TeachYard for added protection against heavy snow accumulation.

Doors:Always keep the door tracks clear of dirt and other debris that prevent them from sliding easily.Lubricate door track annually with furniture polish or silicone spray.Keep doors closed and locked to prevent wind damage.

Fasteners:Use all washers supplied to protect against weather infiltration and to protect the metal from being scratched by screws.Regularly check your building for loose screws,bolts,nuts,etc.

Moisture:A plastic sheet(vapor barrier)placed under the entire floor area with good ventilation will reduce condensation.

Other Tips...

- Wash off inked part numbers on coated panels with soap and water.
 - Silicone caulking may be used for watertight seals throughout the building.
- Do not store swimming pool chemicals in your building.Combustibles and corrosives must be stored in air tight approved containers.

STEP 1: Building Foundation

Selecting and Preparing Your Site:Before assembly,you will want to decide on a location for your building.The best location is a level area with good drainage.

•Allow enough working space for ease of moving parts into position during assembly.Be sure there will be enough space at entrance for doors to open fully and enough space around the building to be able to fasten the panel screws from the outside.


•Before you begin the first steps in assembling your parts,a foundation should be constructed should be ready to use.

Concrete Slab(not included)

The slab should be at least 3" to 4"(8-10cm)thick.It must be level and flat to provide good support for the frame.

The following are the recommended materials for your foundation.

- 1 x 4's (2.5cm x 10cm)(will be removed once the concrete cures)
- Concrete ■ Sheet of 6 mil plastic
- We recommend for a proper strength concrete to use a mix of: 1 part cement . 3 parts pea sized gravel . 2 1/2 parts clean sand



Of course,you can build on grassland,you don't have to do anything.

IMPORTANT:WEAR HAND GLOVES TO PREVENT INJURY

3/9

STEP 2: Checking the Parts


Parts List

Part No.	Diagram	Length(mm)	QTY(pcs)
A1		210	4
A2		1410	3
A3		350	6
B		2150	10
D1		2150	10
D2		775	10
C		640	10
E		520	5
P		1680	36
U		2100	8
U1		1600	4
U2		1500	4
S0		φ16x200	8
S1		φ5.5x25	410
H			4
G			2


IMPORTANT:WEAR HAND GLOVES TO PREVENT INJURY

STEP 3: Building the Foundation Kits

Assembly Show Drawing




Assemble the Foundation Kits




IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY

STEP 4: Building the Side Upstanding

Assemble the First Upstanding





Assemble the remain 5 sets Upstanding and Dynabolt




IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY

STEP 5: Building the Roof Sheets




Starting from P, then P1, P2 so on
Remark: P, P1, P2 all are the part 'P'.

First, assemble 9 pcs 1680mm sheets




IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY


Stick Silicone Sealant on the sheets




Step 1: Apply Silicone



Step 2: Join the 2 surfaces





Step 3: Drill Screws




IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY

STEP 5: Building the Roof Sheets




Starting from P, then P1, P2 so on
 Remark: P, P1, P2 all are the part 'P'.

First, assemble 9 pcs 1680mm sheets




IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY

Stick Silicone Sealant on the sheets




Step 1: Apply Silicone



Step 2: Join the 2 surfaces




Step 3: Drill Screws



IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY


STEP 6: Building the Trim




Clean.....



Touch-up paint is not recommended



Cut.....



Not recommended



IMPORTANT: WEAR HAND GLOVES TO PREVENT INJURY